

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) - 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

*The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.*

*Note: Data collection for household income changed in 2004, so there are two different income dimensions, depending on the year.*

*For documentation on other terms and coding in this report, please go to the following links*

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact  
The Hawai'i Health Data Warehouse**

[profiles@hhdw.org](mailto:profiles@hhdw.org)

**(855) 946-5899 x15**


**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Year	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000	800	4.8	4.0 - 5.8	15,900	95.2	94.2 - 96.0	16,700
2001	700	4.5	3.6 - 5.6	15,600	95.5	94.4 - 96.4	16,300
2002	600	3.6	2.7 - 4.7	16,200	96.4	95.3 - 97.3	16,800
2003	800	4.3	3.3 - 5.6	16,700	95.7	94.4 - 96.7	17,500
2004	1,100	6.3	5.3 - 7.4	16,400	93.7	92.6 - 94.7	17,500
2005	800	4.5	3.6 - 5.6	16,500	95.5	94.4 - 96.4	17,300
2006	1,100	6.0	4.9 - 7.3	17,000	94.0	92.7 - 95.1	18,100
2007	1,100	6.0	5.0 - 7.2	17,200	94.0	92.8 - 95.0	18,300
2008	1,200	6.3	5.3 - 7.5	17,300	93.7	92.5 - 94.7	18,500
2009	1,200	6.7	5.3 - 8.4	17,100	93.3	91.6 - 94.7	18,300

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*



**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii State	1,200	6.7	5.3 - 8.4	17,100	93.3	91.6 - 94.7	18,300

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	8.1	5.8 - 11.3	2,200	91.9	88.7 - 94.2	2,400
Honolulu	800	6.0	4.3 - 8.4	12,200	94.0	91.6 - 95.7	13,000
Kauai	100	10.1	7.1 - 14.2	800	89.9	85.8 - 92.9	900
Maui	200	8.0	5.8 - 10.8	2,000	92.0	89.2 - 94.2	2,200

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) - 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	400	10.4	7.3 - 14.6	3,900	89.6	85.4 - 92.7	4,300
Native Hawaiian	300	5.8	3.7 - 8.9	5,500	94.2	91.1 - 96.3	5,800
Chinese	<50	4.4	1.2 - 14.9	800	95.6	85.1 - 98.8	800
Filipino	100	2.7	1.7 - 4.3	3,100	97.3	95.7 - 98.3	3,200
Japanese	200	9.5	4.7 - 18.2	1,500	90.5	81.8 - 95.3	1,700
Other	200	6.6	3.2 - 13.2	2,400	93.4	86.8 - 96.8	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	3.0	.9 - 9.2	1,800	97.0	90.8 - 99.1	1,900
20-24	200	5.3	3.1 - 9.0	4,000	94.7	91.0 - 96.9	4,200
25-34	700	7.4	5.5 - 10.0	8,600	92.6	90.0 - 94.5	9,300
35+	300	8.5	5.3 - 13.5	2,800	91.5	86.5 - 94.7	3,100

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) - 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Female	600	6.9	5.1 - 9.3	7,900	93.1	90.7 - 94.9	8,500
Male	600	6.5	4.6 - 9.1	9,300	93.5	90.9 - 95.4	9,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	6.6	4.9 - 8.8	10,100	93.4	91.2 - 95.1	10,800
No	500	6.8	4.8 - 9.7	7,000	93.2	90.3 - 95.2	7,500

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	400	5.8	3.8 - 8.7	6,100	94.2	91.3 - 96.2	6,500
131-185%	300	9.3	5.6 - 15.1	2,500	90.7	84.9 - 94.4	2,800
186+%	600	7.6	5.4 - 10.5	6,800	92.4	89.5 - 94.6	7,400

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

Income (2004-2009)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	200	5.7	2.9 - 10.9	3,000	94.3	89.1 - 97.1	3,200
\$10,000-\$24,999	300	6.5	4.1 - 10.1	3,700	93.5	89.9 - 95.9	4,000
\$25,000-\$49,999	300	9.4	6.1 - 14.2	3,300	90.6	85.8 - 93.9	3,600
>=\$50,000	400	6.8	4.6 - 10.0	5,700	93.2	90.0 - 95.4	6,100

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	5.3	3.4 - 8.1	1,300	94.7	91.9 - 96.6	1,400
Normal birth weight	1,100	6.6	5.2 - 8.4	15,800	93.4	91.6 - 94.8	16,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	13.9	8.0 - 23.2	1,500	86.1	76.8 - 92.0	1,700
No	1,000	6.0	4.6 - 7.7	15,200	94.0	92.3 - 95.4	16,200

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	400	9.0	5.9 - 13.6	3,700	91.0	86.4 - 94.1	4,100
<b>No</b>	800	6.1	4.6 - 8.0	13,100	93.9	92.0 - 95.4	13,900

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	500	6.1	4.2 - 8.9	7,000	93.9	91.1 - 95.8	7,500
<b>No</b>	700	7.2	5.3 - 9.6	9,600	92.8	90.4 - 94.7	10,300

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii State	1,200	6.3	5.3 - 7.5	17,300	93.7	92.5 - 94.7	18,500

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	7.2	4.4 - 11.5	2,300	92.8	88.5 - 95.6	2,500
Honolulu	700	5.7	4.6 - 7.1	12,300	94.3	92.9 - 95.4	13,000
Kauai	100	11.6	6.2 - 20.8	800	88.4	79.2 - 93.8	900
Maui	100	6.8	4.1 - 11.1	2,000	93.2	88.9 - 95.9	2,100

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	12.0	9.2 - 15.5	3,800	88.0	84.5 - 90.8	4,300
Native Hawaiian	200	3.5	2.1 - 5.9	4,900	96.5	94.1 - 97.9	5,100
Chinese	<50	7.3	4.5 - 11.7	600	92.7	88.3 - 95.5	600
Filipino	200	4.6	2.8 - 7.3	3,300	95.4	92.7 - 97.2	3,500
Japanese	200	7.7	4.7 - 12.5	1,800	92.3	87.5 - 95.3	2,000
Other	100	3.6	2.0 - 6.2	2,800	96.4	93.8 - 98.0	2,900

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	3.1	1.1 - 8.9	1,400	96.9	91.1 - 98.9	1,400
20-24	200	4.9	3.1 - 7.7	3,800	95.1	92.3 - 96.9	4,000
25-34	600	6.4	5.0 - 8.2	9,000	93.6	91.8 - 95.0	9,600
35+	300	9.1	6.5 - 12.4	3,100	90.9	87.6 - 93.5	3,400

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Female	600	6.7	5.2 - 8.6	8,200	93.3	91.4 - 94.8	8,800
Male	600	6.0	4.7 - 7.7	9,100	94.0	92.3 - 95.3	9,700

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	6.7	5.4 - 8.2	10,800	93.3	91.8 - 94.6	11,600
No	400	5.7	4.2 - 7.9	6,500	94.3	92.1 - 95.8	6,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	300	5.0	3.5 - 7.1	6,600	95.0	92.9 - 96.5	6,900
131-185%	100	4.7	2.8 - 8.0	2,500	95.3	92.0 - 97.2	2,600
186+%	600	8.4	6.6 - 10.5	7,100	91.6	89.5 - 93.4	7,700

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

Income (2004-2009)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	100	4.2	2.4 - 7.4	3,000	95.8	92.6 - 97.6	3,100
\$10,000-\$24,999	200	5.9	3.9 - 9.0	3,700	94.1	91.0 - 96.1	3,900
\$25,000-\$49,999	300	6.1	4.2 - 8.7	3,900	93.9	91.3 - 95.8	4,200
>=\$50,000	500	8.3	6.4 - 10.7	5,700	91.7	89.3 - 93.6	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	6.6	3.2 - 12.8	1,200	93.4	87.2 - 96.8	1,300
Normal birth weight	1,100	6.3	5.3 - 7.6	16,100	93.7	92.4 - 94.7	17,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	7.2	4.1 - 12.4	1,400	92.8	87.6 - 95.9	1,500
No	1,100	6.2	5.2 - 7.5	15,800	93.8	92.5 - 94.8	16,900

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	300	7.3	5.0 - 10.6	3,200	92.7	89.4 - 95.0	3,500
<b>No</b>	900	6.1	5.0 - 7.4	14,000	93.9	92.6 - 95.0	14,900

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	300	4.0	2.7 - 5.7	7,600	96.0	94.3 - 97.3	7,900
<b>No</b>	800	8.1	6.6 - 9.9	9,500	91.9	90.1 - 93.4	10,300

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii State	1,100	6.0	5.0 - 7.2	17,200	94.0	92.8 - 95.0	18,300

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	6.9	4.3 - 10.8	2,200	93.1	89.2 - 95.7	2,400
Honolulu	700	5.8	4.6 - 7.3	12,000	94.2	92.7 - 95.4	12,700
Kauai	100	5.4	2.3 - 11.9	1,000	94.6	88.1 - 97.7	1,100
Maui	100	6.7	4.0 - 11.1	2,000	93.3	88.9 - 96.0	2,100

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) - 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	13.0	10.0 - 16.7	3,600	87.0	83.3 - 90.0	4,100
Native Hawaiian	200	4.9	3.2 - 7.4	4,700	95.1	92.6 - 96.8	4,900
Chinese	<50	2.9	1.4 - 6.2	600	97.1	93.8 - 98.6	600
Filipino	100	3.8	2.3 - 6.3	3,300	96.2	93.7 - 97.7	3,400
Japanese	100	5.0	2.8 - 8.9	2,100	95.0	91.1 - 97.2	2,200
Other	100	2.3	1.1 - 4.6	2,900	97.7	95.4 - 98.9	3,000

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	2.2	.7 - 6.3	1,600	97.8	93.7 - 99.3	1,600
20-24	200	3.6	2.2 - 6.0	4,400	96.4	94.0 - 97.8	4,600
25-34	600	6.5	5.0 - 8.3	8,400	93.5	91.7 - 95.0	9,000
35+	300	10.3	7.4 - 14.1	2,800	89.7	85.9 - 92.6	3,100

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Female	400	5.0	3.7 - 6.6	8,400	95.0	93.4 - 96.3	8,800
Male	700	7.0	5.5 - 8.9	8,800	93.0	91.1 - 94.5	9,500

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	6.5	5.2 - 8.0	10,600	93.5	92.0 - 94.8	11,300
No	400	5.3	3.8 - 7.4	6,600	94.7	92.6 - 96.2	7,000

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	300	3.9	2.6 - 5.9	6,600	96.1	94.1 - 97.4	6,900
131-185%	200	5.6	3.4 - 9.1	2,600	94.4	90.9 - 96.6	2,800
186+%	600	8.6	6.8 - 10.8	6,800	91.4	89.2 - 93.2	7,400

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

Income (2004-2009)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	100	3.5	1.9 - 6.6	3,000	96.5	93.4 - 98.1	3,100
\$10,000-\$24,999	200	3.9	2.3 - 6.6	3,700	96.1	93.4 - 97.7	3,900
\$25,000-\$49,999	300	6.7	4.6 - 9.7	3,900	93.3	90.3 - 95.4	4,200
>=\$50,000	500	8.7	6.7 - 11.2	5,400	91.3	88.8 - 93.3	5,900

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	4.3	2.0 - 8.9	1,500	95.7	91.1 - 98.0	1,600
Normal birth weight	1,000	6.2	5.1 - 7.5	15,700	93.8	92.5 - 94.9	16,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	7.3	3.9 - 13.2	1,400	92.7	86.8 - 96.1	1,500
No	1,000	5.9	4.8 - 7.1	15,700	94.1	92.9 - 95.2	16,700

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	200	5.7	3.6 - 8.8	3,400	94.3	91.2 - 96.4	3,600
<b>No</b>	900	6.1	5.0 - 7.4	13,700	93.9	92.6 - 95.0	14,600

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	400	5.1	3.7 - 7.1	7,200	94.9	92.9 - 96.3	7,600
<b>No</b>	700	6.8	5.4 - 8.5	9,700	93.2	91.5 - 94.6	10,400

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii State	1,100	6.0	4.9 - 7.3	17,000	94.0	92.7 - 95.1	18,100

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	4.5	2.3 - 8.5	2,100	95.5	91.5 - 97.7	2,200
Honolulu	700	5.4	4.2 - 6.8	12,500	94.6	93.2 - 95.8	13,200
Kauai	100	9.7	4.5 - 19.4	800	90.3	80.6 - 95.5	900
Maui	200	10.6	6.8 - 16.1	1,700	89.4	83.9 - 93.2	1,900

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) - 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	400	8.8	6.4 - 12.1	3,900	91.2	87.9 - 93.6	4,300
Native Hawaiian	300	6.8	4.7 - 9.9	4,600	93.2	90.1 - 95.3	4,900
Chinese	<50	6.2	3.5 - 10.6	600	93.8	89.4 - 96.5	600
Filipino	100	3.5	2.0 - 6.1	3,200	96.5	93.9 - 98.0	3,300
Japanese	100	2.8	1.2 - 6.4	2,000	97.2	93.6 - 98.8	2,100
Other	200	5.5	3.3 - 8.9	2,700	94.5	91.1 - 96.7	2,900

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	3.2	1.2 - 8.5	1,500	96.8	91.5 - 98.8	1,500
20-24	200	5.3	3.3 - 8.2	4,200	94.7	91.8 - 96.7	4,400
25-34	500	6.2	4.7 - 8.1	8,300	93.8	91.9 - 95.3	8,800
35+	300	7.9	5.4 - 11.3	3,000	92.1	88.7 - 94.6	3,300

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Female	700	8.1	6.4 - 10.2	8,200	91.9	89.8 - 93.6	8,900
Male	400	4.0	2.9 - 5.6	8,900	96.0	94.4 - 97.1	9,300

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	6.4	5.1 - 8.0	10,800	93.6	92.0 - 94.9	11,500
No	400	5.4	3.7 - 7.7	6,200	94.6	92.3 - 96.3	6,600

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	300	5.5	3.8 - 7.9	6,000	94.5	92.1 - 96.2	6,300
131-185%	100	5.1	2.8 - 9.1	2,300	94.9	90.9 - 97.2	2,400
186+%	600	7.3	5.7 - 9.3	7,500	92.7	90.7 - 94.3	8,100

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

Income (2004-2009)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	100	3.0	1.5 - 6.0	2,900	97.0	94.0 - 98.5	3,000
\$10,000-\$24,999	300	6.7	4.3 - 10.3	3,500	93.3	89.7 - 95.7	3,800
\$25,000-\$49,999	200	5.7	3.7 - 8.6	4,100	94.3	91.4 - 96.3	4,300
>=\$50,000	500	8.1	6.2 - 10.6	5,400	91.9	89.4 - 93.8	5,900

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	4.4	2.1 - 9.2	1,500	95.6	90.8 - 97.9	1,600
Normal birth weight	1,000	6.1	5.0 - 7.4	15,600	93.9	92.6 - 95.0	16,600

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	9.1	5.2 - 15.4	1,600	90.9	84.6 - 94.8	1,800
No	900	5.6	4.6 - 6.9	15,400	94.4	93.1 - 95.4	16,300

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	300	7.2	4.8 - 10.7	3,600	92.8	89.3 - 95.2	3,900
<b>No</b>	800	5.6	4.5 - 7.0	13,400	94.4	93.0 - 95.5	14,200

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	400	5.3	3.8 - 7.4	7,200	94.7	92.6 - 96.2	7,600
<b>No</b>	700	6.5	5.1 - 8.2	9,600	93.5	91.8 - 94.9	10,300

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii State	800	4.5	3.6 - 5.6	16,500	95.5	94.4 - 96.4	17,300

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	2.9	1.4 - 6.1	2,200	97.1	93.9 - 98.6	2,300
Honolulu	600	4.8	3.8 - 6.1	12,000	95.2	93.9 - 96.2	12,600
Kauai	<50	2.8	.8 - 10.0	700	97.2	90.0 - 99.2	700
Maui	100	5.0	2.6 - 9.4	1,600	95.0	90.6 - 97.4	1,700

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	7.8	5.5 - 10.9	3,500	92.2	89.1 - 94.5	3,800
Native Hawaiian	200	3.2	1.8 - 5.4	4,800	96.8	94.6 - 98.2	5,000
Chinese	<50	1.7	.7 - 4.5	600	98.3	95.5 - 99.3	600
Filipino	100	3.1	1.7 - 5.5	3,100	96.9	94.5 - 98.3	3,200
Japanese	100	3.3	1.6 - 6.6	2,200	96.7	93.4 - 98.4	2,300
Other	100	5.8	3.6 - 9.3	2,300	94.2	90.7 - 96.4	2,400

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	2.2	.7 - 6.2	1,400	97.8	93.8 - 99.3	1,400
20-24	200	3.7	2.2 - 6.0	4,100	96.3	94.0 - 97.8	4,300
25-34	400	4.3	3.1 - 5.9	8,200	95.7	94.1 - 96.9	8,600
35+	200	7.4	5.0 - 10.9	2,700	92.6	89.1 - 95.0	2,900

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Female	400	4.9	3.6 - 6.6	8,100	95.1	93.4 - 96.4	8,500
Male	400	4.1	3.0 - 5.6	8,400	95.9	94.4 - 97.0	8,800

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	4.7	3.7 - 6.1	10,400	95.3	93.9 - 96.3	10,900
No	300	4.1	2.7 - 6.0	6,000	95.9	94.0 - 97.3	6,300

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	200	3.0	1.9 - 4.8	6,000	97.0	95.2 - 98.1	6,200
131-185%	100	6.1	3.4 - 10.7	1,700	93.9	89.3 - 96.6	1,800
186+%	400	5.5	4.1 - 7.3	7,300	94.5	92.7 - 95.9	7,700

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

Income (2004-2009)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	100	4.0	2.3 - 7.1	2,800	96.0	92.9 - 97.7	2,900
\$10,000-\$24,999	100	2.3	1.2 - 4.5	3,500	97.7	95.5 - 98.8	3,600
\$25,000-\$49,999	200	4.5	2.8 - 7.1	3,800	95.5	92.9 - 97.2	4,000
>=\$50,000	300	6.4	4.7 - 8.7	5,000	93.6	91.3 - 95.3	5,300

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	5.8	2.8 - 11.6	1,200	94.2	88.4 - 97.2	1,300
Normal birth weight	700	4.3	3.4 - 5.4	15,300	95.7	94.6 - 96.6	16,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	6.8	3.5 - 12.8	1,300	93.2	87.2 - 96.5	1,400
No	700	4.3	3.4 - 5.4	15,000	95.7	94.6 - 96.6	15,700

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	200	4.6	2.8 - 7.5	3,400	95.4	92.5 - 97.2	3,600
<b>No</b>	600	4.5	3.6 - 5.8	12,800	95.5	94.2 - 96.4	13,400

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	200	2.6	1.6 - 4.0	7,100	97.4	96.0 - 98.4	7,300
<b>No</b>	600	6.0	4.7 - 7.7	9,000	94.0	92.3 - 95.3	9,600

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii State	1,100	6.3	5.3 - 7.4	16,400	93.7	92.6 - 94.7	17,500

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	6.5	4.0 - 10.6	2,000	93.5	89.4 - 96.0	2,100
Honolulu	700	5.8	4.7 - 7.2	12,000	94.2	92.8 - 95.3	12,700
Kauai	<50	5.9	2.6 - 12.8	700	94.1	87.2 - 97.4	700
Maui	200	9.2	6.0 - 13.9	1,700	90.8	86.1 - 94.0	1,900

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) - 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	400	10.2	7.7 - 13.3	3,500	89.8	86.7 - 92.3	3,900
Native Hawaiian	300	6.4	4.5 - 9.0	4,500	93.6	91.0 - 95.5	4,800
Chinese	<50	3.7	2.3 - 5.8	600	96.3	94.2 - 97.7	600
Filipino	100	2.8	1.6 - 4.8	3,200	97.2	95.2 - 98.4	3,300
Japanese	200	7.5	4.8 - 11.5	2,100	92.5	88.5 - 95.2	2,300
Other	100	4.1	2.3 - 7.2	2,500	95.9	92.8 - 97.7	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	2.6	.9 - 7.5	1,300	97.4	92.5 - 99.1	1,300
20-24	200	5.0	3.3 - 7.5	4,200	95.0	92.5 - 96.7	4,400
25-34	500	6.4	5.1 - 8.1	8,000	93.6	91.9 - 94.9	8,500
35+	300	9.1	6.7 - 12.3	3,000	90.9	87.7 - 93.3	3,300

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Female	500	6.3	4.9 - 8.1	7,500	93.7	91.9 - 95.1	8,000
Male	600	6.3	5.0 - 7.9	8,900	93.7	92.1 - 95.0	9,500

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	6.7	5.5 - 8.1	11,500	93.3	91.9 - 94.5	12,300
No	300	5.4	3.8 - 7.6	5,000	94.6	92.4 - 96.2	5,300

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	300	4.3	2.9 - 6.1	6,200	95.7	93.9 - 97.1	6,500
131-185%	100	4.7	2.6 - 8.5	2,000	95.3	91.5 - 97.4	2,100
186+%	700	8.9	7.2 - 10.9	6,900	91.1	89.1 - 92.8	7,600

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

Income (2004-2009)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	100	5.0	2.9 - 8.4	2,600	95.0	91.6 - 97.1	2,700
\$10,000-\$24,999	200	4.0	2.6 - 6.3	4,100	96.0	93.7 - 97.4	4,300
\$25,000-\$49,999	300	5.7	4.0 - 8.0	4,200	94.3	92.0 - 96.0	4,500
>=\$50,000	500	10.1	7.9 - 12.8	4,400	89.9	87.2 - 92.1	4,900

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	1.7	.5 - 6.1	1,100	98.3	93.9 - 99.5	1,100
Normal birth weight	1,100	6.6	5.5 - 7.8	15,400	93.4	92.2 - 94.5	16,500

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	13.2	8.5 - 19.9	1,200	86.8	80.1 - 91.5	1,400
No	900	5.7	4.7 - 6.8	15,100	94.3	93.2 - 95.3	16,000

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	300	9.2	6.6 - 12.6	3,300	90.8	87.4 - 93.4	3,600
<b>No</b>	800	5.5	4.5 - 6.8	13,100	94.5	93.2 - 95.5	13,900

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	300	4.2	3.0 - 5.8	7,400	95.8	94.2 - 97.0	7,700
<b>No</b>	800	8.0	6.5 - 9.8	8,700	92.0	90.2 - 93.5	9,500

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii State	800	4.3	3.3 - 5.6	16,700	95.7	94.4 - 96.7	17,500

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	2.6	1.5 - 4.4	1,900	97.4	95.6 - 98.5	2,000
Honolulu	500	4.2	2.9 - 5.9	12,200	95.8	94.1 - 97.1	12,700
Kauai	<50	5.3	2.8 - 9.8	800	94.7	90.2 - 97.2	800
Maui	100	6.9	4.8 - 9.9	1,700	93.1	90.1 - 95.2	1,800

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) - 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	8.2	5.4 - 12.1	3,400	91.8	87.9 - 94.6	3,700
Native Hawaiian	100	3.1	2.2 - 4.3	4,600	96.9	95.7 - 97.8	4,700
Chinese	<50	6.3	1.6 - 21.3	600	93.7	78.7 - 98.4	600
Filipino	100	2.3	1.0 - 5.3	3,800	97.7	94.7 - 99.0	3,900
Japanese	<50	1.3	.3 - 5.7	2,000	98.7	94.3 - 99.7	2,000
Other	100	5.9	3.0 - 11.4	2,300	94.1	88.6 - 97.0	2,400

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	3.0	1.1 - 8.1	1,500	97.0	91.9 - 98.9	1,500
20-24	100	2.8	1.5 - 5.4	4,000	97.2	94.6 - 98.5	4,100
25-34	500	5.4	3.9 - 7.5	8,300	94.6	92.5 - 96.1	8,800
35+	100	3.9	2.1 - 7.3	2,900	96.1	92.7 - 97.9	3,000

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Female	400	4.6	3.1 - 6.7	7,900	95.4	93.3 - 96.9	8,300
Male	400	4.1	2.9 - 5.8	8,900	95.9	94.2 - 97.1	9,300

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	4.8	3.5 - 6.5	10,900	95.2	93.5 - 96.5	11,400
No	200	3.5	2.2 - 5.4	5,800	96.5	94.6 - 97.8	6,000

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	300	3.6	2.3 - 5.5	7,500	96.4	94.5 - 97.7	7,800
131-185%	100	5.0	2.7 - 9.1	2,400	95.0	90.9 - 97.3	2,500
186+%	300	5.8	3.9 - 8.7	5,100	94.2	91.3 - 96.1	5,400

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>&lt;=\$15,000</b>	200	4.5	2.6 - 7.8	4,100	95.5	92.2 - 97.4	4,300
<b>\$15,001-\$25,000</b>	<50	1.1	.5 - 2.8	2,200	98.9	97.2 - 99.5	2,200
<b>\$25,001-\$40,000</b>	100	3.0	1.7 - 5.2	3,100	97.0	94.8 - 98.3	3,200
<b>&gt;=\$40,001</b>	400	6.2	4.3 - 8.9	6,200	93.8	91.1 - 95.7	6,600

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Low birth weight</b>	<50	3.2	1.0 - 9.9	1,200	96.8	90.1 - 99.0	1,200
<b>Normal birth weight</b>	700	4.4	3.4 - 5.7	15,500	95.6	94.3 - 96.6	16,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	100	7.4	3.9 - 13.5	1,500	92.6	86.5 - 96.1	1,600
<b>No</b>	600	4.1	3.0 - 5.4	14,900	95.9	94.6 - 97.0	15,500

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	200	4.6	2.8 - 7.5	3,400	95.4	92.5 - 97.2	3,600
<b>No</b>	600	4.4	3.3 - 5.9	12,900	95.6	94.1 - 96.7	13,500

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	200	3.1	2.0 - 4.9	7,100	96.9	95.1 - 98.0	7,300
<b>No</b>	500	5.2	3.7 - 7.1	9,400	94.8	92.9 - 96.3	9,900

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii State	600	3.6	2.7 - 4.7	16,200	96.4	95.3 - 97.3	16,800

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	4.5	2.9 - 7.0	1,900	95.5	93.0 - 97.1	2,000
Honolulu	400	3.2	2.2 - 4.8	12,000	96.8	95.2 - 97.8	12,400
Kauai	<50	6.1	3.2 - 11.2	600	93.9	88.8 - 96.8	600
Maui	100	4.2	2.6 - 6.7	1,700	95.8	93.3 - 97.4	1,800

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) - 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	8.7	5.7 - 13.0	3,300	91.3	87.0 - 94.3	3,600
Native Hawaiian	100	3.2	2.3 - 4.5	4,400	96.8	95.5 - 97.7	4,500
Chinese	0	0.0	-	600	100.0	-	600
Filipino	100	1.9	.8 - 4.6	3,300	98.1	95.4 - 99.2	3,400
Japanese	<50	0.8	.3 - 2.2	2,300	99.2	97.8 - 99.7	2,300
Other	100	2.8	1.0 - 7.4	2,300	97.2	92.6 - 99.0	2,400

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	2.6	.9 - 7.0	1,500	97.4	93.0 - 99.1	1,500
20-24	100	2.6	1.5 - 4.6	4,100	97.4	95.4 - 98.5	4,200
25-34	400	4.6	3.2 - 6.5	8,000	95.4	93.5 - 96.8	8,400
35+	100	2.7	1.2 - 6.0	2,600	97.3	94.0 - 98.8	2,700

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Female	300	3.6	2.4 - 5.3	8,100	96.4	94.7 - 97.6	8,400
Male	300	3.6	2.5 - 5.3	8,000	96.4	94.7 - 97.5	8,300

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	3.9	2.8 - 5.6	10,900	96.1	94.4 - 97.2	11,300
No	200	2.9	1.9 - 4.3	5,200	97.1	95.7 - 98.1	5,400

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	100	2.1	1.3 - 3.2	6,500	97.9	96.8 - 98.7	6,600
131-185%	200	5.1	2.8 - 9.0	3,200	94.9	91.0 - 97.2	3,400
186+%	300	5.3	3.5 - 8.0	5,000	94.7	92.0 - 96.5	5,300

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>&lt;=\$15,000</b>	100	2.7	1.7 - 4.2	3,200	97.3	95.8 - 98.3	3,300
<b>\$15,001-\$25,000</b>	<50	0.7	.3 - 1.6	2,500	99.3	98.4 - 99.7	2,500
<b>\$25,001-\$40,000</b>	200	5.2	3.1 - 8.6	3,400	94.8	91.4 - 96.9	3,600
<b>&gt;=\$40,001</b>	300	4.8	3.1 - 7.2	6,000	95.2	92.8 - 96.9	6,300

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Low birth weight</b>	<50	3.6	1.8 - 7.2	1,100	96.4	92.8 - 98.2	1,100
<b>Normal birth weight</b>	600	3.6	2.7 - 4.8	15,000	96.4	95.2 - 97.3	15,600

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	100	8.0	4.2 - 14.8	1,200	92.0	85.2 - 95.8	1,300
<b>No</b>	500	3.2	2.3 - 4.4	14,700	96.8	95.6 - 97.7	15,200

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	200	5.2	3.1 - 8.5	3,100	94.8	91.5 - 96.9	3,300
<b>No</b>	400	3.1	2.2 - 4.4	12,700	96.9	95.6 - 97.8	13,100

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	200	2.6	1.5 - 4.2	6,900	97.4	95.8 - 98.5	7,100
<b>No</b>	400	4.4	3.2 - 6.1	9,200	95.6	93.9 - 96.8	9,600

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii State	700	4.5	3.6 - 5.6	15,600	95.5	94.4 - 96.4	16,300

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	4.7	3.1 - 7.1	1,700	95.3	92.9 - 96.9	1,800
Honolulu	500	4.2	3.2 - 5.6	11,600	95.8	94.4 - 96.8	12,100
Kauai	<50	5.2	2.7 - 9.7	700	94.8	90.3 - 97.3	700
Maui	100	6.0	3.9 - 9.0	1,600	94.0	91.0 - 96.1	1,700

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) - 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	8.8	6.3 - 12.3	3,200	91.2	87.7 - 93.7	3,500
Native Hawaiian	200	3.6	2.8 - 4.6	4,300	96.4	95.4 - 97.2	4,500
Chinese	<50	4.1	1.1 - 14.3	700	95.9	85.7 - 98.9	700
Filipino	<50	1.3	.5 - 3.5	3,400	98.7	96.5 - 99.5	3,400
Japanese	100	3.0	1.2 - 7.4	1,900	97.0	92.6 - 98.8	2,000
Other	100	5.8	3.2 - 10.3	2,100	94.2	89.7 - 96.8	2,200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	1.6	.8 - 3.0	1,500	98.4	97.0 - 99.2	1,500
20-24	100	3.3	2.0 - 5.4	4,100	96.7	94.6 - 98.0	4,200
25-34	400	5.0	3.8 - 6.7	7,500	95.0	93.3 - 96.2	7,900
35+	200	6.5	4.0 - 10.3	2,500	93.5	89.7 - 96.0	2,700

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Female	400	5.2	4.0 - 6.9	7,600	94.8	93.1 - 96.0	8,000
Male	300	3.8	2.7 - 5.3	8,000	96.2	94.7 - 97.3	8,300

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	4.7	3.6 - 6.1	10,400	95.3	93.9 - 96.4	10,900
No	200	4.1	2.9 - 6.0	5,200	95.9	94.0 - 97.1	5,400

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	200	3.7	2.5 - 5.4	6,000	96.3	94.6 - 97.5	6,200
131-185%	100	3.1	2.1 - 4.5	3,400	96.9	95.5 - 97.9	3,500
186+%	300	6.1	4.3 - 8.6	5,100	93.9	91.4 - 95.7	5,400

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>&lt;=\$15,000</b>	100	4.1	2.5 - 6.6	3,200	95.9	93.4 - 97.5	3,300
<b>\$15,001-\$25,000</b>	100	3.6	1.8 - 7.1	2,200	96.4	92.9 - 98.2	2,300
<b>\$25,001-\$40,000</b>	100	3.2	2.1 - 4.9	3,400	96.8	95.1 - 97.9	3,500
<b>&gt;=\$40,001</b>	400	5.6	4.0 - 7.7	6,000	94.4	92.3 - 96.0	6,400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Low birth weight</b>	<50	2.6	.8 - 7.8	1,000	97.4	92.2 - 99.2	1,000
<b>Normal birth weight</b>	700	4.6	3.7 - 5.8	14,600	95.4	94.2 - 96.3	15,300

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	100	7.2	4.2 - 12.2	1,400	92.8	87.8 - 95.8	1,500
<b>No</b>	600	4.1	3.2 - 5.2	14,100	95.9	94.8 - 96.8	14,700

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	200	6.2	4.1 - 9.2	3,100	93.8	90.8 - 95.9	3,300
<b>No</b>	500	3.8	2.9 - 4.9	12,100	96.2	95.1 - 97.1	12,600

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	300	4.0	2.9 - 5.6	6,700	96.0	94.4 - 97.1	7,000
<b>No</b>	500	4.9	3.7 - 6.4	8,900	95.1	93.6 - 96.3	9,400

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii State	800	4.8	4.0 - 5.8	15,900	95.2	94.2 - 96.0	16,700

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	4.0	2.5 - 6.2	1,800	96.0	93.8 - 97.5	1,900
Honolulu	500	4.2	3.3 - 5.5	11,800	95.8	94.5 - 96.7	12,300
Kauai	100	8.3	4.9 - 13.8	600	91.7	86.2 - 95.1	700
Maui	100	8.2	5.8 - 11.6	1,600	91.8	88.4 - 94.2	1,700

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) - 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	400	9.3	6.9 - 12.4	3,600	90.7	87.6 - 93.1	4,000
Native Hawaiian	200	4.0	3.1 - 5.1	4,300	96.0	94.9 - 96.9	4,500
Chinese	<50	5.6	1.9 - 15.1	600	94.4	84.9 - 98.1	600
Filipino	100	2.6	1.4 - 5.1	3,300	97.4	94.9 - 98.6	3,400
Japanese	<50	1.3	.4 - 4.3	2,000	98.7	95.7 - 99.6	2,000
Other	100	4.6	2.6 - 8.0	2,100	95.4	92.0 - 97.4	2,200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	1.5	.7 - 3.1	1,800	98.5	96.9 - 99.3	1,800
20-24	200	4.1	2.8 - 6.0	3,900	95.9	94.0 - 97.2	4,100
25-34	400	5.1	3.8 - 6.7	7,500	94.9	93.3 - 96.2	7,900
35+	200	6.9	4.8 - 9.9	2,700	93.1	90.1 - 95.2	2,900

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) - 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Female	400	4.4	3.3 - 5.7	7,700	95.6	94.3 - 96.7	8,100
Male	400	5.2	4.0 - 6.7	8,200	94.8	93.3 - 96.0	8,600

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	4.9	3.8 - 6.1	11,000	95.1	93.9 - 96.2	11,600
No	200	4.7	3.3 - 6.5	4,900	95.3	93.5 - 96.7	5,100

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	200	3.4	2.5 - 4.6	6,800	96.6	95.4 - 97.5	7,000
131-185%	100	6.2	4.0 - 9.5	2,100	93.8	90.5 - 96.0	2,200
186+%	400	6.2	4.6 - 8.2	5,700	93.8	91.8 - 95.4	6,100

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>&lt;=\$15,000</b>	100	3.7	2.4 - 5.8	3,700	96.3	94.2 - 97.6	3,800
<b>\$15,001-\$25,000</b>	100	2.9	1.8 - 4.6	2,600	97.1	95.4 - 98.2	2,700
<b>\$25,001-\$40,000</b>	200	5.4	3.6 - 8.1	3,000	94.6	91.9 - 96.4	3,200
<b>&gt;=\$40,001</b>	400	6.0	4.5 - 8.0	5,800	94.0	92.0 - 95.5	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Low birth weight</b>	<50	4.2	2.4 - 7.3	1,000	95.8	92.7 - 97.6	1,000
<b>Normal birth weight</b>	700	4.8	3.9 - 5.8	14,700	95.2	94.2 - 96.1	15,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	100	8.5	5.5 - 12.8	1,300	91.5	87.2 - 94.5	1,400
<b>No</b>	700	4.4	3.6 - 5.5	14,400	95.6	94.5 - 96.4	15,100

**PRAMS Health Indicator Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	200	5.8	4.1 - 8.2	3,100	94.2	91.8 - 95.9	3,300
<b>No</b>	600	4.5	3.6 - 5.7	12,500	95.5	94.3 - 96.4	13,100

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	300	4.0	2.9 - 5.5	7,000	96.0	94.5 - 97.1	7,300
<b>No</b>	500	5.4	4.3 - 6.9	8,800	94.6	93.1 - 95.7	9,300