

PRAMS Health Indicator Report - Physical abuse by hus/ptr during pregnancy (P6)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) - 2009

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Note: Data collection for household income changed in 2004, so there are two different income dimensions, depending on the year.

For documentation on other terms and coding in this report, please go to the following links

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**


profiles@hhdw.org

(855) 946-5899 x15

**PRAMS Health Indicator Report - Physical abuse by hus/ptr during pregnancy (P6)- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2009);Birthweight;Smoke
3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) - 2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2009	600	3.2	2.2 - 4.6	17,800	96.8	95.4 - 97.8	18,400



**PRAMS Health Indicator Report - Physical abuse by hus/ptr during pregnancy (P6)- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2009);Birthweight;Smoke
3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) - 2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii State	600	3.2	2.2 - 4.6	17,800	96.8	95.4 - 97.8	18,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	<50	1.9	.9 - 4.0	2,400	98.1	96.0 - 99.1	2,400
Honolulu	400	3.4	2.1 - 5.4	12,500	96.6	94.6 - 97.9	12,900
Kauai	<50	3.4	1.8 - 6.3	800	96.6	93.7 - 98.2	800
Maui	100	3.5	2.1 - 5.6	2,100	96.5	94.4 - 97.9	2,200

PRAMS Health Indicator Report - Physical abuse by hus/ptr during pregnancy (P6)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) - 2009

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	<50	0.9	.5 - 1.8	4,300	99.1	98.2 - 99.5	4,300
Native Hawaiian	300	5.3	3.2 - 8.8	5,600	94.7	91.2 - 96.8	5,900
Chinese	0	0.0	-	800	100.0	-	800
Filipino	100	2.8	1.2 - 6.6	3,200	97.2	93.4 - 98.8	3,300
Japanese	100	4.2	1.2 - 13.4	1,600	95.8	86.6 - 98.8	1,700
Other	100	3.2	1.2 - 8.3	2,500	96.8	91.7 - 98.8	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	7.7	3.4 - 16.6	1,700	92.3	83.4 - 96.6	1,800
20-24	200	5.2	2.9 - 9.3	4,000	94.8	90.7 - 97.1	4,200
25-34	200	2.3	1.3 - 4.1	8,900	97.7	95.9 - 98.7	9,100
35+	<50	0.5	.2 - 1.5	3,100	99.5	98.5 - 99.8	3,100

**PRAMS Health Indicator Report - Physical abuse by hus/ptr during pregnancy (P6)- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2009);Birthweight;Smoke
3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) - 2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Female	300	3.1	1.8 - 5.4	8,200	96.9	94.6 - 98.2	8,500
Male	300	3.3	2.1 - 5.4	9,500	96.7	94.6 - 97.9	9,800

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	1.5	.8 - 2.8	10,700	98.5	97.2 - 99.2	10,900
No	400	5.7	3.6 - 8.7	7,100	94.3	91.3 - 96.4	7,500

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	500	7.0	4.5 - 10.6	6,000	93.0	89.4 - 95.5	6,500
131-185%	<50	1.5	.4 - 5.0	2,800	98.5	95.0 - 99.6	2,800
186+%	<50	0.5	.3 - .9	7,400	99.5	99.1 - 99.7	7,400

**PRAMS Health Indicator Report - Physical abuse by hus/ptr during pregnancy (P6)- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2009);Birthweight;Smoke
3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) - 2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Income (2004-2009)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	300	9.4	5.5 - 15.6	2,800	90.6	84.4 - 94.5	3,100
\$10,000-\$24,999	100	3.5	1.6 - 7.6	3,800	96.5	92.4 - 98.4	3,900
\$25,000-\$49,999	100	2.3	1.0 - 5.3	3,600	97.7	94.7 - 99.0	3,700
>=\$50,000	<50	0.4	.2 - .9	6,100	99.6	99.1 - 99.8	6,100

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	2.8	1.6 - 4.9	1,300	97.2	95.1 - 98.4	1,300
Normal birth weight	500	3.1	2.1 - 4.6	16,400	96.9	95.4 - 97.9	16,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	10.2	5.1 - 19.2	1,500	89.8	80.8 - 94.9	1,700
No	300	2.1	1.4 - 3.4	15,900	97.9	96.6 - 98.6	16,200

**PRAMS Health Indicator Report - Physical abuse by hus/ptr during pregnancy (P6)- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2009);Birthweight;Smoke
3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) - 2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	8.4	5.1 - 13.6	3,700	91.6	86.4 - 94.9	4,000
No	200	1.3	.8 - 2.3	13,800	98.7	97.7 - 99.2	14,000

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	4.9	3.2 - 7.6	7,100	95.1	92.4 - 96.8	7,500
No	200	1.5	.7 - 3.1	10,200	98.5	96.9 - 99.3	10,400