

PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) - 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Note: Data collection for household income changed in 2004, so there are two different income dimensions, depending on the year.

For documentation on other terms and coding in this report, please go to the following links

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


**PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000	12,400	72.3	70.3 - 74.3	4,700	27.7	25.7 - 29.7	17,100
2001	11,900	71.4	69.3 - 73.4	4,800	28.6	26.6 - 30.7	16,700
2002	12,000	70.9	68.2 - 73.3	5,000	29.1	26.7 - 31.8	17,000
2003	11,900	67.9	65.3 - 70.4	5,600	32.1	29.6 - 34.7	17,500
2004	11,800	66.2	64.2 - 68.2	6,000	33.8	31.8 - 35.8	17,800
2005	12,100	69.4	67.2 - 71.5	5,300	30.6	28.5 - 32.8	17,400
2006	12,800	69.5	67.3 - 71.6	5,600	30.5	28.4 - 32.7	18,400
2007	12,900	69.4	67.2 - 71.5	5,700	30.6	28.5 - 32.8	18,600
2008	12,800	68.4	66.2 - 70.5	5,900	31.6	29.5 - 33.8	18,700
2009	12,300	66.9	63.9 - 69.8	6,100	33.1	30.2 - 36.1	18,400

**PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30



**PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2009

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii State	12,300	66.9	63.9 - 69.8	6,100	33.1	30.2 - 36.1	18,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,700	69.7	64.9 - 74.1	700	30.3	25.9 - 35.1	2,400
Honolulu	8,500	65.4	61.3 - 69.3	4,500	34.6	30.7 - 38.7	13,000
Kauai	600	69.7	63.9 - 74.9	300	30.3	25.1 - 36.1	900
Maui	1,500	71.4	67.1 - 75.3	600	28.6	24.7 - 32.9	2,100

**PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2009

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,000	70.6	64.7 - 76.0	1,300	29.4	24.0 - 35.3	4,300
Native Hawaiian	4,300	73.6	68.4 - 78.2	1,600	26.4	21.8 - 31.6	5,900
Chinese	400	49.5	33.8 - 65.3	400	50.5	34.7 - 66.2	800
Filipino	1,800	56.5	49.1 - 63.7	1,400	43.5	36.3 - 50.9	3,200
Japanese	900	57.5	46.7 - 67.5	700	42.5	32.5 - 53.3	1,600
Other	1,700	69.5	60.9 - 76.9	800	30.5	23.1 - 39.1	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,400	76.0	66.6 - 83.3	400	24.0	16.7 - 33.4	1,800
20-24	2,900	69.1	62.6 - 75.0	1,300	30.9	25.0 - 37.4	4,200
25-34	6,200	67.6	63.4 - 71.6	3,000	32.4	28.4 - 36.6	9,200
35+	1,800	56.2	48.6 - 63.5	1,400	43.8	36.5 - 51.4	3,200

**PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2009

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Female	5,700	67.3	62.8 - 71.4	2,800	32.7	28.6 - 37.2	8,500
Male	6,500	66.5	62.3 - 70.5	3,300	33.5	29.5 - 37.7	9,800

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,700	62.5	58.5 - 66.4	4,000	37.5	33.6 - 41.5	10,700
No	5,500	73.1	68.5 - 77.2	2,000	26.9	22.8 - 31.5	7,500

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,900	76.2	71.3 - 80.5	1,500	23.8	19.5 - 28.7	6,400
131-185%	1,700	61.6	53.5 - 69.1	1,100	38.4	30.9 - 46.5	2,800
186+%	4,700	62.8	58.0 - 67.4	2,800	37.2	32.6 - 42.0	7,500

**PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2009

Income (2004-2009)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,300	73.7	66.1 - 80.1	800	26.3	19.9 - 33.9	3,100
\$10,000-\$24,999	2,700	70.7	64.3 - 76.4	1,100	29.3	23.6 - 35.7	3,800
\$25,000-\$49,999	2,500	68.0	61.2 - 74.1	1,200	32.0	25.9 - 38.8	3,700
>=\$50,000	3,800	62.7	57.3 - 67.8	2,300	37.3	32.2 - 42.7	6,100

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	69.0	64.1 - 73.5	400	31.0	26.5 - 35.9	1,300
Normal birth weight	11,300	66.6	63.3 - 69.7	5,700	33.4	30.3 - 36.7	17,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	84.3	75.5 - 90.3	300	15.7	9.7 - 24.5	1,700
No	10,500	64.9	61.6 - 68.0	5,700	35.1	32.0 - 38.4	16,200

**PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2009

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	3,100	78.4	72.4 - 83.5	900	21.6	16.5 - 27.6	4,000
No	8,800	63.3	59.8 - 66.8	5,100	36.7	33.2 - 40.2	13,900

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,600	75.4	71.0 - 79.4	1,800	24.6	20.6 - 29.0	7,400
No	6,300	60.3	56.1 - 64.4	4,100	39.7	35.6 - 43.9	10,400

**PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2008

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii State	12,800	68.4	66.2 - 70.5	5,900	31.6	29.5 - 33.8	18,700

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,900	76.4	70.3 - 81.6	600	23.6	18.4 - 29.7	2,500
Honolulu	9,100	68.8	66.3 - 71.3	4,100	31.2	28.7 - 33.7	13,200
Kauai	500	52.1	41.4 - 62.7	400	47.9	37.3 - 58.6	900
Maui	1,400	63.1	56.1 - 69.5	800	36.9	30.5 - 43.9	2,200

PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) - 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2008

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,300	74.1	69.7 - 78.1	1,100	25.9	21.9 - 30.3	4,400
Native Hawaiian	3,900	75.7	71.3 - 79.6	1,300	24.3	20.4 - 28.7	5,200
Chinese	300	53.3	46.6 - 59.8	300	46.7	40.2 - 53.4	600
Filipino	2,000	56.1	51.0 - 61.2	1,500	43.9	38.8 - 49.0	3,500
Japanese	1,200	57.7	50.7 - 64.3	900	42.3	35.7 - 49.3	2,100
Other	2,200	72.0	66.3 - 77.1	800	28.0	22.9 - 33.7	3,000

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,100	75.2	66.8 - 82.1	400	24.8	17.9 - 33.2	1,500
20-24	3,300	81.8	77.4 - 85.5	700	18.2	14.5 - 22.6	4,000
25-34	6,300	64.5	61.3 - 67.5	3,500	35.5	32.5 - 38.7	9,800
35+	2,100	60.5	55.4 - 65.4	1,400	39.5	34.6 - 44.6	3,500

**PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2008

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Female	6,200	69.3	66.1 - 72.3	2,700	30.7	27.7 - 33.9	8,900
Male	6,700	67.6	64.5 - 70.5	3,200	32.4	29.5 - 35.5	9,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,500	63.8	61.1 - 66.5	4,200	36.2	33.5 - 38.9	11,700
No	5,300	75.9	72.4 - 79.2	1,700	24.1	20.8 - 27.6	7,000

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,400	77.6	74.2 - 80.8	1,600	22.4	19.2 - 25.8	7,000
131-185%	1,900	71.2	65.1 - 76.5	800	28.8	23.5 - 34.9	2,700
186+%	4,700	59.9	56.5 - 63.2	3,100	40.1	36.8 - 43.5	7,800

**PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2008

Income (2004-2009)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,500	77.6	72.1 - 82.2	700	22.4	17.8 - 27.9	3,200
\$10,000-\$24,999	3,200	78.2	73.6 - 82.1	900	21.8	17.9 - 26.4	4,100
\$25,000-\$49,999	3,000	71.3	66.8 - 75.5	1,200	28.7	24.5 - 33.2	4,200
>=\$50,000	3,500	56.3	52.4 - 60.1	2,700	43.7	39.9 - 47.6	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	69.8	61.0 - 77.4	400	30.2	22.6 - 39.0	1,300
Normal birth weight	11,900	68.2	65.9 - 70.4	5,600	31.8	29.6 - 34.1	17,500

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	84.4	77.1 - 89.7	200	15.6	10.3 - 22.9	1,500
No	11,400	67.2	64.9 - 69.4	5,600	32.8	30.6 - 35.1	17,000

**PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2008

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,900	82.6	77.9 - 86.5	600	17.4	13.5 - 22.1	3,500
No	9,900	65.4	62.9 - 67.8	5,200	34.6	32.2 - 37.1	15,100

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,000	74.5	71.2 - 77.6	2,000	25.5	22.4 - 28.8	8,000
No	6,700	63.9	61.0 - 66.8	3,800	36.1	33.2 - 39.0	10,500

**PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2007

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii State	12,900	69.4	67.2 - 71.5	5,700	30.6	28.5 - 32.8	18,600

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,900	76.6	70.5 - 81.8	600	23.4	18.2 - 29.5	2,500
Honolulu	8,700	67.9	65.3 - 70.5	4,100	32.1	29.5 - 34.7	12,800
Kauai	800	74.6	65.1 - 82.3	300	25.4	17.7 - 34.9	1,100
Maui	1,500	67.4	60.6 - 73.7	700	32.6	26.3 - 39.4	2,200

**PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2007

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,200	75.9	71.4 - 79.9	1,000	24.1	20.1 - 28.6	4,200
Native Hawaiian	3,700	73.3	68.7 - 77.4	1,400	26.7	22.6 - 31.3	5,100
Chinese	400	52.2	45.5 - 58.8	300	47.8	41.2 - 54.5	700
Filipino	2,200	63.5	58.5 - 68.2	1,300	36.5	31.8 - 41.5	3,500
Japanese	1,300	59.4	52.5 - 65.9	900	40.6	34.1 - 47.5	2,200
Other	2,200	71.7	66.0 - 76.7	900	28.3	23.3 - 34.0	3,100

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,200	69.7	61.0 - 77.2	500	30.3	22.8 - 39.0	1,700
20-24	3,700	79.8	75.6 - 83.4	900	20.2	16.6 - 24.4	4,600
25-34	6,300	69.7	66.6 - 72.6	2,800	30.3	27.4 - 33.4	9,100
35+	1,700	53.6	48.2 - 58.9	1,500	46.4	41.1 - 51.8	3,200

**PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2007

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Female	6,200	68.8	65.6 - 71.8	2,800	31.2	28.2 - 34.4	9,000
Male	6,700	70.0	66.9 - 72.9	2,900	30.0	27.1 - 33.1	9,600

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,500	65.2	62.5 - 67.9	4,000	34.8	32.1 - 37.5	11,500
No	5,400	76.3	72.6 - 79.6	1,700	23.7	20.4 - 27.4	7,100

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,400	77.5	74.0 - 80.7	1,600	22.5	19.3 - 26.0	7,000
131-185%	1,800	65.5	59.5 - 71.0	900	34.5	29.0 - 40.5	2,700
186+%	4,800	63.9	60.5 - 67.2	2,700	36.1	32.8 - 39.5	7,500

**PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2007

Income (2004-2009)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,400	77.2	71.6 - 82.0	700	22.8	18.0 - 28.4	3,100
\$10,000-\$24,999	3,000	76.4	71.7 - 80.6	900	23.6	19.4 - 28.3	3,900
\$25,000-\$49,999	3,100	72.0	67.5 - 76.1	1,200	28.0	23.9 - 32.5	4,300
>=\$50,000	3,600	59.6	55.7 - 63.3	2,500	40.4	36.7 - 44.3	6,100

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	64.0	55.8 - 71.5	600	36.0	28.5 - 44.2	1,600
Normal birth weight	11,900	69.9	67.6 - 72.1	5,100	30.1	27.9 - 32.4	17,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	85.4	78.3 - 90.5	200	14.6	9.5 - 21.7	1,500
No	11,500	68.0	65.7 - 70.3	5,400	32.0	29.7 - 34.3	16,900

**PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2007

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	3,000	81.8	77.2 - 85.6	700	18.2	14.4 - 22.8	3,700
No	9,900	66.4	63.9 - 68.8	5,000	33.6	31.2 - 36.1	14,900

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,800	75.8	72.4 - 78.9	1,900	24.2	21.1 - 27.6	7,700
No	6,800	65.1	62.1 - 67.9	3,700	34.9	32.1 - 37.9	10,500

**PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2006

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii State	12,800	69.5	67.3 - 71.6	5,600	30.5	28.4 - 32.7	18,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,700	77.5	71.0 - 82.8	500	22.5	17.2 - 29.0	2,200
Honolulu	9,200	68.7	66.1 - 71.2	4,200	31.3	28.8 - 33.9	13,400
Kauai	600	66.2	54.6 - 76.1	300	33.8	23.9 - 45.4	900
Maui	1,300	67.2	59.9 - 73.8	600	32.8	26.2 - 40.1	1,900

PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) - 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2006

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,100	71.7	67.0 - 76.0	1,200	28.3	24.0 - 33.0	4,300
Native Hawaiian	4,000	78.5	74.1 - 82.4	1,100	21.5	17.6 - 25.9	5,100
Chinese	300	48.7	41.8 - 55.6	300	51.3	44.4 - 58.2	600
Filipino	2,100	61.2	55.9 - 66.3	1,300	38.8	33.7 - 44.1	3,400
Japanese	1,300	61.0	54.1 - 67.5	800	39.0	32.5 - 45.9	2,100
Other	2,000	70.8	64.8 - 76.1	800	29.2	23.9 - 35.2	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,200	76.8	68.3 - 83.6	400	23.2	16.4 - 31.7	1,600
20-24	3,500	77.4	72.8 - 81.4	1,000	22.6	18.6 - 27.2	4,500
25-34	6,100	67.8	64.6 - 70.9	2,900	32.2	29.1 - 35.4	9,000
35+	2,000	60.2	54.9 - 65.2	1,300	39.8	34.8 - 45.1	3,300

**PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2006

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Female	6,300	69.8	66.5 - 72.8	2,700	30.2	27.2 - 33.5	9,000
Male	6,500	69.2	66.1 - 72.2	2,900	30.8	27.8 - 33.9	9,400

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,700	65.8	63.1 - 68.5	4,000	34.2	31.5 - 36.9	11,700
No	5,100	75.8	72.0 - 79.3	1,600	24.2	20.7 - 28.0	6,700

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,000	78.2	74.5 - 81.5	1,400	21.8	18.5 - 25.5	6,400
131-185%	1,700	70.4	64.0 - 76.2	700	29.6	23.8 - 36.0	2,400
186+%	5,200	62.6	59.2 - 65.8	3,100	37.4	34.2 - 40.8	8,300

**PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2006

Income (2004-2009)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,400	77.3	71.6 - 82.2	700	22.7	17.8 - 28.4	3,100
\$10,000-\$24,999	3,000	78.7	74.0 - 82.9	800	21.3	17.1 - 26.0	3,800
\$25,000-\$49,999	3,100	70.6	65.9 - 74.9	1,300	29.4	25.1 - 34.1	4,400
>=\$50,000	3,500	59.0	55.0 - 62.9	2,400	41.0	37.1 - 45.0	5,900

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	67.2	59.0 - 74.4	500	32.8	25.6 - 41.0	1,500
Normal birth weight	11,700	69.7	67.4 - 71.9	5,100	30.3	28.1 - 32.6	16,800

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,500	86.1	79.0 - 91.0	200	13.9	9.0 - 21.0	1,700
No	11,200	67.8	65.4 - 70.1	5,300	32.2	29.9 - 34.6	16,500

**PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2006

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	3,200	83.1	78.5 - 86.8	700	16.9	13.2 - 21.5	3,900
No	9,500	65.9	63.3 - 68.4	4,900	34.1	31.6 - 36.7	14,400

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,000	77.3	73.9 - 80.4	1,800	22.7	19.6 - 26.1	7,800
No	6,700	64.1	61.0 - 67.0	3,700	35.9	33.0 - 39.0	10,400

**PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2005

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii State	12,100	69.4	67.2 - 71.5	5,300	30.6	28.5 - 32.8	17,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,600	73.3	66.9 - 78.8	600	26.7	21.2 - 33.1	2,200
Honolulu	8,600	67.7	65.1 - 70.2	4,100	32.3	29.8 - 34.9	12,700
Kauai	600	76.0	65.0 - 84.4	200	24.0	15.6 - 35.0	800
Maui	1,300	73.8	66.7 - 79.8	400	26.2	20.2 - 33.3	1,700

**PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2005

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,700	72.8	68.0 - 77.1	1,000	27.2	22.9 - 32.0	3,700
Native Hawaiian	3,700	74.5	70.1 - 78.5	1,300	25.5	21.5 - 29.9	5,000
Chinese	300	50.6	44.3 - 56.9	300	49.4	43.1 - 55.7	600
Filipino	2,000	62.6	57.5 - 67.3	1,200	37.4	32.7 - 42.5	3,200
Japanese	1,400	59.5	53.2 - 65.5	900	40.5	34.5 - 46.8	2,300
Other	1,900	76.6	71.2 - 81.3	600	23.4	18.7 - 28.8	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,100	76.1	68.3 - 82.5	400	23.9	17.5 - 31.7	1,500
20-24	3,400	78.8	74.6 - 82.4	900	21.2	17.6 - 25.4	4,300
25-34	5,800	67.1	63.9 - 70.1	2,800	32.9	29.9 - 36.1	8,600
35+	1,800	59.2	53.8 - 64.3	1,200	40.8	35.7 - 46.2	3,000

**PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2005

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Female	6,000	70.8	67.7 - 73.7	2,500	29.2	26.3 - 32.3	8,500
Male	6,000	68.0	64.9 - 70.9	2,800	32.0	29.1 - 35.1	8,800

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,100	64.0	61.2 - 66.7	4,000	36.0	33.3 - 38.8	11,100
No	5,000	78.8	75.3 - 81.8	1,300	21.2	18.2 - 24.7	6,300

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,900	78.2	74.8 - 81.3	1,400	21.8	18.7 - 25.2	6,300
131-185%	1,300	67.6	60.4 - 74.0	600	32.4	26.0 - 39.6	1,900
186+%	4,900	63.4	60.1 - 66.6	2,800	36.6	33.4 - 39.9	7,700

**PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2005

Income (2004-2009)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,400	81.7	76.8 - 85.8	500	18.3	14.2 - 23.2	2,900
\$10,000-\$24,999	2,600	71.9	67.1 - 76.3	1,000	28.1	23.7 - 32.9	3,600
\$25,000-\$49,999	2,900	72.6	68.1 - 76.7	1,100	27.4	23.3 - 31.9	4,000
>=\$50,000	3,300	59.9	55.8 - 63.8	2,200	40.1	36.2 - 44.2	5,500

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	70.5	62.1 - 77.6	400	29.5	22.4 - 37.9	1,300
Normal birth weight	11,200	69.3	67.0 - 71.4	4,900	30.7	28.6 - 33.0	16,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	87.6	80.8 - 92.2	200	12.4	7.8 - 19.2	1,500
No	10,700	67.6	65.2 - 69.8	5,100	32.4	30.2 - 34.8	15,800

**PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2005

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	3,000	81.2	76.7 - 85.0	700	18.8	15.0 - 23.3	3,700
No	8,900	65.9	63.4 - 68.4	4,600	34.1	31.6 - 36.6	13,500

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,700	76.6	73.4 - 79.5	1,700	23.4	20.5 - 26.6	7,400
No	6,200	64.0	60.9 - 66.9	3,500	36.0	33.1 - 39.1	9,700

**PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2004

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii State	11,800	66.2	64.2 - 68.2	6,000	33.8	31.8 - 35.8	17,800

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,600	70.3	64.1 - 75.8	700	29.7	24.2 - 35.9	2,300
Honolulu	8,500	65.8	63.4 - 68.2	4,400	34.2	31.8 - 36.6	12,900
Kauai	500	59.0	48.8 - 68.5	300	41.0	31.5 - 51.2	800
Maui	1,200	67.0	60.5 - 72.9	600	33.0	27.1 - 39.5	1,800

**PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2004

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,800	71.5	67.2 - 75.4	1,100	28.5	24.6 - 32.8	3,900
Native Hawaiian	3,500	71.9	67.7 - 75.8	1,400	28.1	24.2 - 32.3	4,900
Chinese	300	50.8	46.2 - 55.3	300	49.2	44.7 - 53.8	600
Filipino	2,000	59.4	54.9 - 63.8	1,400	40.6	36.2 - 45.1	3,400
Japanese	1,200	51.3	45.2 - 57.5	1,100	48.7	42.5 - 54.8	2,300
Other	1,900	73.3	67.9 - 78.1	700	26.7	21.9 - 32.1	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,000	77.2	69.4 - 83.5	300	22.8	16.5 - 30.6	1,300
20-24	3,400	75.4	71.4 - 79.1	1,100	24.6	20.9 - 28.6	4,500
25-34	5,600	64.7	61.8 - 67.6	3,000	35.3	32.4 - 38.2	8,600
35+	1,800	53.6	48.8 - 58.3	1,600	46.4	41.7 - 51.2	3,400

**PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2004

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Female	5,400	66.7	63.7 - 69.7	2,700	33.3	30.3 - 36.3	8,100
Male	6,400	65.8	63.0 - 68.5	3,300	34.2	31.5 - 37.0	9,700

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,700	62.1	59.6 - 64.5	4,700	37.9	35.5 - 40.4	12,400
No	4,000	75.9	72.2 - 79.2	1,300	24.1	20.8 - 27.8	5,300

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,900	74.8	71.5 - 77.9	1,600	25.2	22.1 - 28.5	6,500
131-185%	1,400	67.2	61.1 - 72.8	700	32.8	27.2 - 38.9	2,100
186+%	4,600	58.9	55.8 - 62.0	3,200	41.1	38.0 - 44.2	7,800

**PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2004

Income (2004-2009)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,200	78.8	73.8 - 83.0	600	21.2	17.0 - 26.2	2,800
\$10,000-\$24,999	3,200	73.0	68.8 - 76.7	1,200	27.0	23.3 - 31.2	4,400
\$25,000-\$49,999	2,800	63.0	58.8 - 67.1	1,700	37.0	32.9 - 41.2	4,500
>=\$50,000	2,800	56.1	52.2 - 60.0	2,200	43.9	40.0 - 47.8	5,000

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	700	67.5	59.0 - 74.9	400	32.5	25.1 - 41.0	1,100
Normal birth weight	11,000	66.1	64.0 - 68.2	5,600	33.9	31.8 - 36.0	16,600

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	79.8	72.4 - 85.7	300	20.2	14.3 - 27.6	1,400
No	10,500	64.9	62.7 - 67.0	5,700	35.1	33.0 - 37.3	16,200

**PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2004

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,900	81.1	76.9 - 84.8	700	18.9	15.2 - 23.1	3,600
No	8,700	62.2	59.8 - 64.5	5,300	37.8	35.5 - 40.2	14,000

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,800	73.2	70.2 - 76.0	2,100	26.8	24.0 - 29.8	7,900
No	5,700	60.5	57.6 - 63.3	3,800	39.5	36.7 - 42.4	9,500

**PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2003

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii State	11,900	67.9	65.3 - 70.4	5,600	32.1	29.6 - 34.7	17,500

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,500	74.7	70.5 - 78.5	500	25.3	21.5 - 29.5	2,000
Honolulu	8,600	67.1	63.6 - 70.3	4,200	32.9	29.7 - 36.4	12,800
Kauai	500	62.1	54.6 - 69.0	300	37.9	31.0 - 45.4	800
Maui	1,300	68.8	64.1 - 73.2	600	31.2	26.8 - 35.9	1,900

PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) - 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2003

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,300	62.2	55.9 - 68.1	1,400	37.8	31.9 - 44.1	3,700
Native Hawaiian	3,600	76.9	74.2 - 79.3	1,100	23.1	20.7 - 25.8	4,700
Chinese	300	49.2	34.1 - 64.4	400	50.8	35.6 - 65.9	700
Filipino	2,700	69.3	63.3 - 74.7	1,200	30.7	25.3 - 36.7	3,900
Japanese	1,200	59.2	50.0 - 67.8	800	40.8	32.2 - 50.0	2,000
Other	1,700	69.3	61.1 - 76.5	800	30.7	23.5 - 38.9	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,200	78.8	70.6 - 85.2	300	21.2	14.8 - 29.4	1,500
20-24	3,300	78.7	74.1 - 82.7	900	21.3	17.3 - 25.9	4,200
25-34	5,600	63.8	60.0 - 67.5	3,200	36.2	32.5 - 40.0	8,800
35+	1,800	58.9	52.1 - 65.4	1,200	41.1	34.6 - 47.9	3,000

**PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2003

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Female	5,500	66.5	62.7 - 70.2	2,800	33.5	29.8 - 37.3	8,300
Male	6,400	69.1	65.5 - 72.4	2,900	30.9	27.6 - 34.5	9,300

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,100	61.4	58.0 - 64.8	4,400	38.6	35.2 - 42.0	11,500
No	4,800	80.2	76.8 - 83.3	1,200	19.8	16.7 - 23.2	6,000

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,900	75.5	71.9 - 78.8	1,900	24.5	21.2 - 28.1	7,800
131-185%	1,500	58.6	51.3 - 65.6	1,000	41.4	34.4 - 48.7	2,500
186+%	3,400	61.7	56.6 - 66.5	2,100	38.3	33.5 - 43.4	5,500

**PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2003

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	3,400	80.2	75.6 - 84.2	800	19.8	15.8 - 24.4	4,200
\$15,001-\$25,000	1,700	75.5	68.6 - 81.3	500	24.5	18.7 - 31.4	2,200
\$25,001-\$40,000	2,100	65.0	58.7 - 70.9	1,100	35.0	29.1 - 41.3	3,200
>=\$40,001	3,900	59.5	54.9 - 63.9	2,700	40.5	36.1 - 45.1	6,600

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	800	66.7	56.2 - 75.8	400	33.3	24.2 - 43.8	1,200
Normal birth weight	11,100	67.9	65.2 - 70.5	5,200	32.1	29.5 - 34.8	16,300

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	73.9	65.3 - 80.9	400	26.1	19.1 - 34.7	1,600
No	10,400	67.1	64.3 - 69.8	5,100	32.9	30.2 - 35.7	15,500

**PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2003

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,700	76.7	71.2 - 81.3	800	23.3	18.7 - 28.8	3,500
No	8,800	65.1	62.0 - 68.0	4,700	34.9	32.0 - 38.0	13,500

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,600	75.8	72.2 - 79.1	1,800	24.2	20.9 - 27.8	7,400
No	6,200	61.9	58.2 - 65.4	3,800	38.1	34.6 - 41.8	10,000

**PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2002

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii State	12,000	70.9	68.2 - 73.3	5,000	29.1	26.7 - 31.8	17,000

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,500	73.6	69.4 - 77.4	500	26.4	22.6 - 30.6	2,000
Honolulu	8,800	70.5	67.0 - 73.7	3,700	29.5	26.3 - 33.0	12,500
Kauai	500	68.6	60.9 - 75.4	200	31.4	24.6 - 39.1	700
Maui	1,300	71.4	66.6 - 75.7	500	28.6	24.3 - 33.4	1,800

**PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2002

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,700	76.4	70.6 - 81.3	800	23.6	18.7 - 29.4	3,500
Native Hawaiian	3,600	79.1	76.5 - 81.4	1,000	20.9	18.6 - 23.5	4,600
Chinese	400	62.8	45.6 - 77.2	200	37.2	22.8 - 54.4	600
Filipino	2,100	60.5	53.8 - 66.9	1,400	39.5	33.1 - 46.2	3,500
Japanese	1,400	58.6	50.2 - 66.5	1,000	41.4	33.5 - 49.8	2,400
Other	1,800	76.2	67.6 - 83.1	600	23.8	16.9 - 32.4	2,400

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,300	86.2	80.0 - 90.8	200	13.8	9.2 - 20.0	1,500
20-24	3,500	82.2	77.9 - 85.9	800	17.8	14.1 - 22.1	4,300
25-34	5,800	68.1	64.2 - 71.8	2,700	31.9	28.2 - 35.8	8,500
35+	1,400	53.1	45.9 - 60.1	1,300	46.9	39.9 - 54.1	2,700

**PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2002

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Female	5,700	67.0	63.1 - 70.7	2,800	33.0	29.3 - 36.9	8,500
Male	6,300	74.7	71.1 - 78.0	2,100	25.3	22.0 - 28.9	8,400

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,600	65.7	62.3 - 69.0	4,000	34.3	31.0 - 37.7	11,600
No	4,400	81.8	78.0 - 85.0	1,000	18.2	15.0 - 22.0	5,400

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,300	79.1	75.3 - 82.5	1,400	20.9	17.5 - 24.7	6,700
131-185%	2,500	70.6	64.5 - 76.1	1,000	29.4	23.9 - 35.5	3,500
186+%	3,200	60.1	55.0 - 65.0	2,100	39.9	35.0 - 45.0	5,300

PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) - 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2002

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	3,000	87.4	83.3 - 90.6	400	12.6	9.4 - 16.7	3,400
\$15,001-\$25,000	2,000	79.6	73.2 - 84.7	500	20.4	15.3 - 26.8	2,500
\$25,001-\$40,000	2,600	71.1	65.1 - 76.5	1,100	28.9	23.5 - 34.9	3,700
>=\$40,001	3,800	58.5	53.9 - 63.1	2,700	41.5	36.9 - 46.1	6,500

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	800	71.9	60.9 - 80.7	300	28.1	19.3 - 39.1	1,100
Normal birth weight	11,100	70.6	67.9 - 73.2	4,600	29.4	26.8 - 32.1	15,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	88.8	82.2 - 93.2	200	11.2	6.8 - 17.8	1,400
No	10,600	68.8	66.0 - 71.5	4,800	31.2	28.5 - 34.0	15,400

**PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2002

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,700	83.3	78.5 - 87.3	500	16.7	12.7 - 21.5	3,200
No	8,900	67.4	64.3 - 70.3	4,300	32.6	29.7 - 35.7	13,200

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,600	78.4	74.7 - 81.7	1,500	21.6	18.3 - 25.3	7,100
No	6,400	65.1	61.4 - 68.6	3,400	34.9	31.4 - 38.6	9,800

**PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2001

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii State	11,900	71.4	69.3 - 73.4	4,800	28.6	26.6 - 30.7	16,700

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,400	75.3	71.0 - 79.1	500	24.7	20.9 - 29.0	1,900
Honolulu	8,800	71.1	68.4 - 73.7	3,600	28.9	26.3 - 31.6	12,400
Kauai	500	68.2	60.7 - 74.9	300	31.8	25.1 - 39.3	800
Maui	1,200	70.3	65.4 - 74.8	500	29.7	25.2 - 34.6	1,700

**PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2001

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,500	71.6	67.1 - 75.8	1,000	28.4	24.2 - 32.9	3,500
Native Hawaiian	3,600	79.8	77.8 - 81.7	900	20.2	18.3 - 22.2	4,500
Chinese	400	54.9	41.6 - 67.4	300	45.1	32.6 - 58.4	700
Filipino	2,400	69.3	64.1 - 74.1	1,100	30.7	25.9 - 35.9	3,500
Japanese	1,200	60.1	52.6 - 67.1	800	39.9	32.9 - 47.4	2,000
Other	1,700	73.1	66.2 - 79.1	600	26.9	20.9 - 33.8	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,300	80.6	75.1 - 85.2	300	19.4	14.8 - 24.9	1,600
20-24	3,500	80.1	76.3 - 83.4	900	19.9	16.6 - 23.7	4,400
25-34	5,500	69.0	65.8 - 72.0	2,500	31.0	28.0 - 34.2	8,000
35+	1,600	59.0	53.0 - 64.6	1,100	41.0	35.4 - 47.0	2,700

**PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2001

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Female	5,900	72.4	69.4 - 75.2	2,300	27.6	24.8 - 30.6	8,200
Male	6,000	70.4	67.3 - 73.2	2,500	29.6	26.8 - 32.7	8,500

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,400	66.2	63.4 - 68.8	3,800	33.8	31.2 - 36.6	11,200
No	4,600	81.7	78.6 - 84.5	1,000	18.3	15.5 - 21.4	5,600

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,100	80.5	77.5 - 83.2	1,200	19.5	16.8 - 22.5	6,300
131-185%	2,500	70.6	66.0 - 74.8	1,100	29.4	25.2 - 34.0	3,600
186+%	3,400	62.1	58.0 - 66.0	2,100	37.9	34.0 - 42.0	5,500

**PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2001

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	2,800	81.5	77.2 - 85.2	600	18.5	14.8 - 22.8	3,400
\$15,001-\$25,000	1,900	81.8	76.8 - 85.9	400	18.2	14.1 - 23.2	2,300
\$25,001-\$40,000	2,600	72.1	67.6 - 76.2	1,000	27.9	23.8 - 32.4	3,600
>=\$40,001	4,100	62.7	59.0 - 66.3	2,400	37.3	33.7 - 41.0	6,500

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	800	70.0	60.6 - 78.0	300	30.0	22.0 - 39.4	1,100
Normal birth weight	11,100	71.4	69.2 - 73.5	4,400	28.6	26.5 - 30.8	15,500

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	83.0	76.9 - 87.7	300	17.0	12.3 - 23.1	1,600
No	10,300	69.9	67.6 - 72.1	4,500	30.1	27.9 - 32.4	14,800

**PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2001

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,800	83.0	79.1 - 86.4	600	17.0	13.6 - 20.9	3,400
No	8,700	67.8	65.3 - 70.2	4,100	32.2	29.8 - 34.7	12,800

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,400	77.2	74.2 - 80.0	1,600	22.8	20.0 - 25.8	7,000
No	6,400	66.8	63.8 - 69.7	3,200	33.2	30.3 - 36.2	9,600

**PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2000

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii State	12,400	72.3	70.3 - 74.3	4,700	27.7	25.7 - 29.7	17,100

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,500	78.0	73.9 - 81.5	400	22.0	18.5 - 26.1	1,900
Honolulu	9,100	71.5	68.9 - 74.0	3,600	28.5	26.0 - 31.1	12,700
Kauai	500	69.0	61.2 - 75.9	200	31.0	24.1 - 38.8	700
Maui	1,300	73.1	68.3 - 77.4	500	26.9	22.6 - 31.7	1,800

**PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2000

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,100	75.7	71.5 - 79.4	1,000	24.3	20.6 - 28.5	4,100
Native Hawaiian	3,800	82.1	80.1 - 83.9	800	17.9	16.1 - 19.9	4,600
Chinese	400	52.7	39.5 - 65.5	300	47.3	34.5 - 60.5	700
Filipino	2,400	69.1	63.8 - 73.9	1,100	30.9	26.1 - 36.2	3,500
Japanese	1,200	57.3	49.9 - 64.4	900	42.7	35.6 - 50.1	2,100
Other	1,600	70.8	63.7 - 76.9	700	29.2	23.1 - 36.3	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,600	83.5	78.5 - 87.6	300	16.5	12.4 - 21.5	1,900
20-24	3,400	82.6	79.0 - 85.7	700	17.4	14.3 - 21.0	4,100
25-34	5,700	69.5	66.3 - 72.5	2,500	30.5	27.5 - 33.7	8,200
35+	1,700	58.7	53.1 - 64.1	1,200	41.3	35.9 - 46.9	2,900

**PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2000

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Female	5,800	70.4	67.3 - 73.3	2,500	29.6	26.7 - 32.7	8,300
Male	6,500	74.1	71.3 - 76.8	2,300	25.9	23.2 - 28.7	8,800

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,900	67.3	64.6 - 69.8	3,900	32.7	30.2 - 35.4	11,800
No	4,400	83.5	80.6 - 86.1	900	16.5	13.9 - 19.4	5,300

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,700	79.2	76.3 - 81.9	1,500	20.8	18.1 - 23.7	7,200
131-185%	1,700	76.2	70.7 - 80.9	500	23.8	19.1 - 29.3	2,200
186+%	4,000	64.0	60.2 - 67.6	2,200	36.0	32.4 - 39.8	6,200

PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) - 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2000

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	3,300	83.4	79.7 - 86.6	700	16.6	13.4 - 20.3	4,000
\$15,001-\$25,000	2,100	79.8	74.9 - 83.9	500	20.2	16.1 - 25.1	2,600
\$25,001-\$40,000	2,400	74.5	69.8 - 78.7	800	25.5	21.3 - 30.2	3,200
>=\$40,001	3,900	61.7	57.9 - 65.3	2,400	38.3	34.7 - 42.1	6,300

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	800	70.8	61.9 - 78.4	300	29.2	21.6 - 38.1	1,100
Normal birth weight	11,500	72.4	70.3 - 74.4	4,400	27.6	25.6 - 29.7	15,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	87.2	80.9 - 91.7	200	12.8	8.3 - 19.1	1,400
No	10,800	71.3	69.1 - 73.4	4,400	28.7	26.6 - 30.9	15,200

**PRAMS Health Indicator Report - Stressors during the 12 mos before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2009);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) -
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009**

Note: Weighted responses, rounded to the nearest hundred; n/r (not reportable) indicates cell size restriction = # of unweighted responses < 30

Year: 2000

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,800	83.5	79.3 - 87.0	500	16.5	13.0 - 20.7	3,300
No	9,200	69.8	67.4 - 72.1	4,000	30.2	27.9 - 32.6	13,200

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,900	79.3	76.5 - 81.9	1,500	20.7	18.1 - 23.5	7,400
No	6,400	67.5	64.6 - 70.4	3,100	32.5	29.6 - 35.4	9,500